SINGAPORE CHANGI AIRPORT P.O. BOX 1, SINGAPORE 918141 Tel: (65) 6422 7036 AFS: WSSSYNYX Fax: (65) 64410221 Email: caas_singaporeais@caas.gov.sg URL: www.caas.gov.sg URL: https://aim-sg.caas.gov.sg	P.O. BOX 1, SINGAPORE 918141 Tel: (65) 6422 7036 AFS: WSSSYNYX Fax: (65) 64410221 Email: caas_singaporeais@caas.gov.sg URL: www.caas.gov.sg	176/2024 DORE Effective from 28 OCT 2024 / 05 OCT 2026 / 05 OCT 2026 Published on 28 OCT 2024 / 05 OCT 2024
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------

SINGAPORE CHANGI AIRPORT – USE OF CONSTRUCTION LASERS, LOCATIONS OF AUTOMATIC TOTAL STATION AND CONCRETE BLOCKS TO SUPPORT CONSTRUCTION ACTIVITIES AT TERMINAL 2

1 INTRODUCTION

1.1 This AIP Supplement informs aircraft operators and pilots of the use of construction survey lasers on Taxilane R1, R2 and R3 and installation of concrete blocks within the turf area of T2 Central Apron at Singapore Changi Airport, effective from **28 October 2024, 0500UTC** to **05 October 2026, 1559UTC**.

2 LOCATION OF AUTOMATIC TOTAL STATION ("ATS") TOWERS AND USAGE OF CLASS 3R LASERS

2.1 Non-frangible ATS towers (see details in the table below) for monitoring ground elevation will be temporarily erected at T2 Central Apron construction site. ATS towers will be marked and lighted at night.

ATS Code	Coordinates	Height AGL (m)	Distance from Taxiway T centreline (m)
ATS1	012111.05 N 1035931.96 E	4.45	112
ATS2	012112.49 N 1035934.04 E	4.45	70
ATS3	012113.79 N 1035934.58 E	4.45	70
ATS4	012116.52 N 1035934.66 E	4.45	100

2.2 Class 3R rated construction survey lasers will be used to measure taxiway pavement elevation. Pilots should avoid looking directly at the lasers and be aware of possible laser beam sightings on Taxilane R1, R2 and R3, especially in low light conditions.

2.3 As solar panels are used to power the ATS units, pilots are also advised of potential glare due to the reflection of the sun from the solar panels.

2.4 Please refer to Annex A for ATS locations and monitoring zones.

3 CONCRETE BLOCKS WITHIN TURF AREA OF T2 CENTRAL APRON

3.1 Concrete blocks will be installed and flushed with the turf area of the T2 Central Apron as monitoring points for the ATS units, as detailed in **Annex B**.

4 CHANGES


4.1 This AIP Supplement supersedes AIP Supplement 154/2024 dated 07 October 2024.

4.2 Any change to the contents of this AIP Supplement will be notified through NOTAM.

Enlarged location plan for the location of Automated Total Stations and the associated instrumentation monitoring zone within T2 Central Apron of Singapore Changi Airport Annex A Enlarged location plan for the concrete blocks within the turf area of T2 Central Apron of Singapore Changi Airport Annex B

PAGE INTENTIONALLY LEFT BLANK

ENLARGED LOCATION PLAN FOR THE LOCATION OF AUTOMATED TOTAL STATIONS AND THE ASSOCIATED INSTRUMENTATION MONITORING ZONE WITHIN T2 CENTRAL APRON **OF SINGAPORE CHANGI AIRPORT**




Annex A

Publication Date: 28 Oct 2024

PAGE INTENTIONALLY LEFT BLANK

ENLARGED LOCATION PLAN FOR THE LOCATION OF CONCRETE BLOCKS WITHIN THE TURF AREA OF T2 CENTRAL APRON OF SINGAPORE CHANGI AIRPORT



Annex B

Publication Date: 28 Oct 2024

PAGE INTENTIONALLY LEFT BLANK